

USN

--	--	--	--	--	--	--	--	--	--

Fifth Semester B.E. Degree (CBCS) Examination

Theory of Elasticity

Time: 3 hrs.

Max. Marks: 80

Note: Answer any FIVE full questions, choosing one full question from each module.

MODULE – I

- 1 a A point under three dimensional stress system is on xyz coordinate system. Derive the Cauchy's stress equations for the component of the stresses on an arbitrary plane. (10 Marks)
- b Explain stress invariants and plane state of stress. (06 Marks)

OR

- 2 a Derive expressions for Octahedral normal and Octahedral shear stresses in terms of stress invariants. (08 Marks)

- b Rectangular component of stress at a point is given by $\sigma = \begin{bmatrix} 50 & 30 & 10 \\ 30 & 30 & 20 \\ 10 & 20 & 15 \end{bmatrix}$ MPa.

Determine the stresses on a plane whose outward normal

- a) Has direction cosines $\frac{1}{\sqrt{2}}, \frac{1}{\sqrt{2}}, 0$
- b) Has direction ratio 3, 2, -1

(08 Marks)

MODULE – II

- 3 a Discuss the significance of compatibility conditions. (10 Marks)
- Given the following strain field:

$$\epsilon_x = 5 + x^2 + y^2 + x^4 + y^4$$

$$\epsilon_y = 6 + 3x^2 + 3y^2 + x^4 + y^4$$

$$\gamma_{xy} = 10 + 4x^3y + 4y^3x + 8xy$$

$$\epsilon_z = 0, \gamma_{yz} = 0, \gamma_{xz} = 0$$

Determine whether the above strain field is possible.

- b Displacement field at a point on a body is given as follows (06 Marks)
- $u = (x^2yz + z^2)$; $v = (xy^2z + y^2)$; $w = (xyz^2 + x^2)$. Determine the strain components at (2, 1, 2) and express them in matrix form.

OR

- 4 a Derive the first and second set of compatibility equations. (10 Marks)

- b Define strain invariants and plane state of strain. (06 Marks)

Important Note: 1. On completing your answers, compulsorily draw diagonal cross lines on the remaining blank pages.
2. Any revealing of identification, appeal to evaluator and/or equations written e.g, 38+2 = 40, will be treated as malpractice.

MODULE – III

- 5 a Derive the biharmonic equation considering the plane strain condition in the Cartesian coordinate system. (10 Marks)
- b The state of stress at a point is given by:
 $\sigma_x = 200 \text{ MPa}$, $\sigma_y = -100 \text{ MPa}$, $\sigma_z = 50 \text{ MPa}$
 $\sigma_{xy} = 40 \text{ MPa}$, $\sigma_{yz} = 50 \text{ MPa}$, $\sigma_{zx} = 60 \text{ MPa}$. (06 Marks)
- If $E = 2 \times 10^5 \text{ N/mm}^2$ and $G = 0.8 \times 10^5 \text{ N/mm}^2$, find the corresponding strain components from Hooke's law. Take $\nu = 0.2$.

OR

- 6 a Derive the expressions for stresses in a thick cylinder under the uniform internal and external pressures. (16 Marks)

MODULE – IV

- 7 a Derive the expressions for stresses σ_r and σ_θ in a solid rotating disc of uniform thickness. (09 Marks)
- b A solid disc of 150 mm radius rotates at 500 rpm. Given: mass density = $7.2 \times 10^{-6} \text{ kg/mm}^3$, $E = 2 \times 10^5 \text{ MPa}$ and $\nu = 0.3$. Find the value of circumferential stress at the center of the disc and at the outer periphery. Also, find the change in radius. (07 Marks)

OR

- 8 a A disc of uniform thickness with inner and outer diameter 100 mm and 400 mm, respectively, is rotating at 5000 rev/min. The density of the material is 7800 kg/m^3 and $\nu = 0.28$. Determine the radial and circumferential stress at a radius of 0.05m. (08 Marks)
- b A thin walled box section having dimensions $2a \times a \times t$ is to be compared with a solid circular section of diameter as shown in Fig. Q8(b). Determine the thickness t so that the two sections have (08 Marks)
- a) The same maximum shear stress for the same torque and
 b) The same stiffness




Fig. Q8(b)

MODULE – V

- 9 a Explain the significance of thermo-elastic stresses. Also, write the thermo-elastic stress strain relations. (06 Marks)
- b Obtain the expressions for radial and tangential stresses in a solid circular cylinder subjected to uniform temperature. Also, obtain similar expressions for hollow cylinder. (10 Marks)
- 10 a Derive Euler's expression for buckling load for column with both ends hinged. (08 Marks)
- b Derive the expressions for stress components in a thin circular disc subjected to temperature. (08 Marks)

OR